





The mobile distributor generation

The new EVOBOX series is the ideal solution for mobile power supply in industry, on construction sites or in event technology.

Product information

- Available in 4 coordinated housing sizes
- Perfectly stackable
- Easy-to-handle, using integrated carrying grips
- No protruding components
- fuse elements under transparent operating windows
- Distributor outlets and fuse elements each separately on one side
 Ready wired for installation
- The internal wiring is designed for the highest possible safety via the specification standard
- Resistant to ageing and weather
- Lightweight and impact resistant through the use of hard-polyethylene

Product details

- Impact strength IK10, up to 20J impact energy
- Self-extinguishing and UV-stabilized
- Highly resistant thermally and mechanically
- Maintenance-free QUICK-CONNECT-technology for CEE up to 63A and domestic sockets
- Overall protection degree of the distributor is IP54
- Flexible fitting options up to 125A

Optional

- Adapted arrangement of panel mounting sockets for plugs with protection degree IP67


The portable distributor series is available in 4 coordinated housing

sizes and impresses with its high mechanical and thermal capacity.

- Phase control lights are easily visible under operating windows
- External earthing screw outside the housing
- Installation of overvoltage protection
- The housing can be blue, red and orange (minimum oder quantity)
- all panel mounting socket outlets are available in black


Power supply


- Cable entry with CEE plug up to max. 125A
- CEE inlet up to max. 125A
- Powerlock System 400A





350










The 4 coordinated housing sizes




One distributor - many areas of application

The mobile distributor generation **EVOBOX**, customized, depending on the area of application.









Components:

6 domestic sockets 16A, 230V, IP54 (system F - german earthing System) 2 CEE sockets 16A, 400V, 5p, 6h, IP54

Fuse: 6 C-type MCBs 16A, 1p 1 C-type MCB 16A, 3p 1 RCCB 40/0,03A, 4p

Additional equipment: 1 phase control lights, LED green 1 external earthing screw

Input: 1 CEE inlet 16A, 400V, 5p, 6h, IP67

Order no. 5202999

Components:

9 domestic sockets 16A, 230V, IP54 (System F - german earthing system) 3 CEE sockets 16A, 400V, 5p, 6h, IP54 1 CEE socket 32A, 400V, 5p, 6h, IP54

Fuse:

9 C-type MCBs 16A, 1p 3 C-type MCBs 16A, 3p 1 RCCB 40/0,03A, 4p

Additional equipment: 1 phase control lights, LED green 1 external earthing screw

Input: 1 CEE inlet 32A, 400V, 5p, 6h, IP67

Order no. 5203000

Components:

9 domestic sockets 16A, 230V, IP54 (System F - german earthing system) 4 CEE sockets 16A, 400V, 5p, 6h, IP54 2 CEE sockets 32A, 400V, 5p, 6h, IP54 1 CEE socket 63A, 400V, 5p, 6h, IP67

Fuse:

9 C-type MCBs 16A, 1p 4 C-type MCBs 16A, 3p 2 C-type MCBs 32A, 3p 3 RCCBs 63/0,03A, 4p

Additional equipment: 1 phase control lights, LED green 1 external earthing screw Input:

1 CEE inlet 63A, 400V, 5p, 6h, IP67

Order no. 5203001

Components:

9 domestic sockets 16A, 230V, IP54 (System F - german earthing system) 4 CEE sockets 16A, 400V, 5p, 6h, IP54 4 CEE sockets 32A, 400V, 5p, 6h, IP54 2 CEE sockets 63A, 400V, 5p, 6h, IP67 1 CEE socket 125A, 400V, 5p, 6h, IP67

4 C-type MCBs 16A, 3p

2 C-type MCBs 63A, 3p

2 RCCBs 63/0,5A, 4p

Fuse:

9 C-type MCBs 16A, 1p 4 C-type MCBs 32A, 3p 4 RCCBs 63/0,03A, 4p

Additional equipment: 1 phase control lights, LED green

1 external earthing screw
Input:

1 CEE inlet 125A, 400V, 5p, 6h, IP67

Order no. **5203002**

- wired ready for connection

- domestic sockets type f german earthing system
- all sockets contacts are brass nickel plated



EVOBOX-M







EVOBOX-L





EVOBOX-XL









Bals Nederland BV Watze Hilariusweg 6 2031 AA Haarlem T. +31235470947 info@bals.nl www.bals.nl